




Bipolar II™ Hip System




Bipolar II Features



Cap sizes available from 38 to 56 mm in 1 mm size increment


Highly polish surface to reduce the wear of acetabulum*

One - piece assembly



Simple locking ring mechanism enhances surgical efficiency, while maintaining strength

Minimum PE thickness of 5 mm



Anti-rotation design minimizes micromotion between the cap and the PE liner

Outer beveled lip design allows for easy reduction


*Metal surface roughness of $Ra \leq 0.02 \mu m$ to fulfill the ISO Standard of $Ra \leq 0.5 \mu m$

Surgical Techniques

Sizing the Acetabulum




Trial Assembly and Reduction



Cap trial sizes (mm)	38, 39, 40	41, 42	43~56
Head trial sizes (mm)	22	22/26	28


Trial Disassembly



Implant Assembly



Implant Disassembly



Bipolar II Instruments

★ *Special Order Items*

U2 Bipolar Case (9204-8041-RC)



U2 Femoral Head Trial



Cat. No.	Description
1206 - 2122 - RB	Ø 22mm +0 mm
1206 - 2322 - RB	Ø 22mm +3 mm
1206 - 2522 - RB	Ø 22mm +6 mm
1206 - 2722 - RB	Ø 22mm +9 mm

U2 Bipolar Trial



Cat. No.	Description
1503 - 4338 - RB	Ø 38 mm
1503 - 4339 - RB	Ø 39 mm
1503 - 4340 - RB	Ø 40 mm
★ 1503 - 4341 - RB	Ø 41 mm
★ 1503 - 4342 - RB	Ø 42 mm
1503 - 4041	Ø 41 mm
1503 - 4042	Ø 42 mm
1503 - 4143	Ø 43 mm
1503 - 4144	Ø 44 mm
1503 - 4145	Ø 45 mm
1503 - 4146	Ø 46 mm
1503 - 4147	Ø 47 mm
1503 - 4148	Ø 48 mm
1503 - 4149	Ø 49 mm
1503 - 4150	Ø 50 mm
1503 - 4151	Ø 51 mm
1503 - 4152	Ø 52 mm
1503 - 4153	Ø 53 mm
1503 - 4154	Ø 54 mm
1503 - 4155	Ø 55 mm
1503 - 4156	Ø 56 mm

ID 22mm

ID 26 mm

ID 28 mm

Bipolar II Instruments



Cat. No.	Description
9203 - 5022	Head Remover, 22 mm
9203 - 5026	Head Remover, 26 mm
9203 - 5028	Head Remover, 28 mm



Cat. No.	Description
9204 - 1004	Bipolar Trial Handle



Cat. No.	Description
9204 - 1222 - RB	Femoral Head Impactor, 22 mm

Bipolar II Implant

★ Special Order Items



Bipolar Cap



Metal Head

Cat. No.	Outer Diameter	Cat. No.	Description	Head Size
1503 - 3338 1503 - 3339 1503 - 3340 ★1503 - 3341 ★1503 - 3342	38 mm 39 mm 40 mm 41 mm 42 mm	1206 - 1122 1206 - 1322 1206 - 1522 1206 - 1722	+0 mm +3 mm +6 mm +9 mm	* 22 mm
1503 - 3041 1503 - 3042	41 mm 42 mm	1206 - 1026 1206 - 1126 1206 - 1326 1206 - 1526 1206 - 1726	-2 mm +0 mm +3 mm +6 mm +9 mm	26 mm
1503 - 3143 1503 - 3144 1503 - 3145 1503 - 3146 1503 - 3147 1503 - 3148 1503 - 3149 1503 - 3150 1503 - 3151 1503 - 3152 1503 - 3153 1503 - 3154 1503 - 3155 1503 - 3156	43 mm 44 mm 45 mm 46 mm 47 mm 48 mm 49 mm 50 mm 51 mm 52 mm 53 mm 54 mm 55 mm 56 mm	1206 - 1028 1206 - 1128 1206 - 1228 1206 - 1428 1206 - 1628 1206 - 1828	-3 mm +0 mm +2.5 mm +5 mm +7.5 mm +10 mm	28 mm

* The actual spherical diameter of a 22-mm metal head is 22.2 mm.



Each Step We Care



www.uoc.com.tw

Contact Us

■ Taiwan

United Orthopedic Corporation
12F, No. 80, Sec. 1, Chenggong Rd, Yonghe Dist.,
New Taipei City 23452, Taiwan
Tel: +886 2 2929 4567 Fax: +886 2 2922 4567

■ China

United Medical Instrument Co. Ltd.
Room 402, Building 7, No.697, Ling ShiRoad,
Shanghai, China, 200072
Tel: +86 21 3661 8055 Fax: +86 21 6628 3031

■ Japan

United Biomech Japan Inc.
Ginyo Bldg 4th floor, 2-9-40 Kitasaiwai, Nishi-Ku
Yokohama City, Kanagawa, 220-0004, Japan
Tel: +81 45 620 0741 Fax: +81 45 620 0742

■ Europe

UOC (Suisse) SA
Avenue Général Guisan 60A, 1009 Pully, Switzerland.
Tel: +41 (0) 21 634 70 70 Fax: +41 (0) 21 634 70 76

■ EU Representative

mdi Europa GmbH
Langenhagener Strasse 71,
30855 Langenhagen, Germany
Tel: +49 511 3908 9530 Fax: +49 511 3908 9539

■ USA

UOC USA Inc.
20 Fairbanks, Suite 173, Irvine, CA 92618
Tel: +1 949-328-3366 Fax: +1 949-328-3367

UOC (France)

7 Allée des Peupliers, 54180 Houdement, France
Tel: +33 (0) 3 83 23 39 72 Fax: +33 (0) 3 83 23 39 10